

To: R3 Clients[R3_Clients@epa.gov]
Cc: [Nonresponsive based on revised scope]@epa.gov; Wagner, Christine[Wagner.Christine@epa.gov]; [Nonresponsive based on revised scope]@WestonSolutions.com]; [Nonresponsive based on revised scope]@WestonSolutions.com]; [Nonresponsive based on revised scope]@westonsolutions.com]; [Nonresponsive based on revised scope]@WestonSolutions.com]
From: [Nonresponsive based on revised scope]@WestonSolutions.com]
Sent: Wed 2/6/2019 10:23:15 PM (UTC)
Subject: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD SITE
[Shiloh Church ARF Feb 2019 .pdf](#)
[Shilo Church Road VOC CRQLs.xls](#)
[TO-15 Analytes.doc](#)

Good Afternoon,

Attached is an analytical request form for air and residential drinking water sampling at the Shiloh Church Road Site that is anticipated to begin February 11th - 22th, 2019. The QLs and CRQLs are attached. Please contact me if you have any questions.

Regards,

[Nonresponsive based on revised scope]
Weston Solutions, Inc
[Nonresponsive based on revised scope]

This email will be sent to the following EPA staff as part of the email group R3_Clients:

Burman, Jarmael <Burman.Jarmael@epa.gov>; Caporale, Cynthia <Caporale.Cynthia@epa.gov>; Costa, Karen <Costa.Karen@epa.gov>; Costas, Robin <Costas.Robin@epa.gov>; Fortune, Warren <fortune.warren@epa.gov>; Ghimire, Aneesh <ghimire.aneesh@epa.gov>; Payne, Patrick <payne.patrick@epa.gov>; Poff, Kevin <Poff.Kevin@epa.gov>; Sassin, Pepa <Sassin.Pepa@epa.gov>

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify

the sender by return e-mail and delete this email from your system. Thank you.